Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
338	CSP	Prescribed Burning	Develop and follow burn prescription	ACRE	32	AC	100
342	CSP	Critical Area Planting (Sensitive Areas Only)	Establishing permanent vegetation	ACRE	508.0	AC	50
			Water impoundment made by constructing a dam or			AC	50
380	CSP	Windbreak/Shelterbelt Establishment	an embankment	Feet	2.16		50
382	CSP	Fence, for sensitive or exclusion areas only	Constructed barrier to livestock, wildlife	Feet	.50	AC	50
			Strip of permanent vegetation established at edge			AC	50
386	CSP	Field Border	or around the perimeter of a field.	Feet	1.82		30
			Riparian herbaceous cover consists of grasses,			AC	50
390	CSP	Riparian Herbaceous Cover	grasslike plants, and forbs	ACRE	158		30
			Area of Predominantly trees and/or shrubs located			AC	
			adjacent to and up-gradient from water courses or				50
391	CSP	Riparian Forest Buffer	water bodies	ACRE	500		
						AC	
			Strip or area of herbaceous vegetation situated				50
393	CSP	Filter Strip	between cropland, grazing land, or disturbed land	ACRE	210		
			A natural or constructed channel that is shaped or			AC	
			graded to required dimensions and established with				50
412	CSP	Grassed Waterway	suitble vegetation	ACRE	200		
						AC	50
512	CSP	Pasture & Hay Planting (ac) for conversion	Establishing native or introduced forage species	ACRE	30.76		50
						AC	50
516	CSP	Pipeline	Pipeline installed for conveying water for livestock	Feet	1.93		50
			Protectinng heavily used areas by establishing				
561	CSP	Heavy Use Protection Area	vegetative cover, by surfacing with suitable	ACRE	500	AC	50
			materials, or by installing needed structures.				
			Ridges formed by tillage or planting aligned across			AC	50
589A	CSP	Cross Wind Ridges	the prevailing wind erosion direction	ACRE	210		50
						AC	
			Control the stage, discharge, distribution, delivery,				50
587	CSP	Structure for Water Control	or direction of flow of water in open channels	No.	1700		
			Vegetation established in rows or narrow strips			AC	50
603	CSP	Herbaceous Wind Barriers	across the prevailing wind direction	ACRE	68.68		50
			Restoring and conserving rare or declining native			AC	
		Restoration and Management of Declining Habitats	vegetated communities and associated wildlife				50
643	CSP	- native prairie	species	ACRE	130		
			Restoring and conserving rare or declining bottland			AC	
		Restoration and Management of Declining Habitats	vegetated communities and associated wildlife				50
643	CSP	- native prairie	species	ACRE	408		
		·	Develop, improve, or modify watering places and			AC	
648	CSP	Wildlife Watering Facility	systems for wildlife	No.	500		50
5014		,	Soil Conditioning Index Level > 0.1, \$1.16 per	Acre/yr			
ESM	CSP	Enhancement - Soil Management	tenth, starting at 0.1	•	1.16	FR	100
==			Improve soil conditioning and quality by				
ESM	CSP	Enhancement - Soil Management	implementing conservation measures that result in	Acre	1.16		
			a Soil Conditioning Index (SCI) score of at least 0.1.				

ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.2.	Acre	2.32	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.3.	Acre	3.48	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.4.	Acre	4.64	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.5.	Acre	5.8	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.6.	Acre	6.96	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.7.	Acre	8.12	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.8.	Acre	9.28	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 0.9.	Acre	10.44	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.0.	Acre	11.6	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.1.	Acre	12.76	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.2.	Acre	13.92	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.3.	Acre	15.08	AC	100

ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.4.	Acre	16.24	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.5.	Acre	17.4	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.6.	Acre	18.56	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.7.	Acre	19.72	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.8.	Acre	20.88	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 1.9.	Acre	22.04	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.0.	Acre	23.2	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.1.	Acre	24.36	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.2.	Acre	25.52	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.3.	Acre	26.68	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.4.	Acre	27.84	AC	100
ESM	CSP	Enhancement - Soil Management	Improve soil conditioning and quality by implementing conservation measures that result in a Soil Conditioning Index (SCI) score of at least 2.5 or greater.	Acre	29	AC	100

CSP	Enhancement - Soil Management	Reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 60.	Acre	0.5	AC	100
CSP	Enhancement - Soil Management	Reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 16 and 30.	Acre	1	AC	100
CSP	Enhancement - Soil Management	Reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less.	Acre	2	AC	100
CSP	Enhancement - Soil Management	Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 60.	Acre	1	AC	100
CSP	Enhancement - Soil Management	Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 16 and 30.	Acre	2	AC	100
CSP	Enhancement - Soil Management	Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less.	Acre	4	AC	100
CSP	Enhancement - Soil Management	Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less	Acre	4.00	FR	100
CSP	Enhancement - Nutrient Management	Reapportion nitrogen inputs by using split applications or controlled-release nitrogen products (e.g. polymer coating) to more effectively match crop needs to nitrogen availability.	Acre/yr	5.00	FR	100
CSP	Enhancement - Nutrient Management	Significantly reduce nitrogen losses by applying a urease inhibitor	Acre/yr	10	FR	100
CSP	Enhancement - Nutrient Management	Use grid soil sampling and yield maps for P and K and use precision application equipment to increase fretilzer efficiency and utilization	Acre/yr	12	FR	100
CSP	Enhancement - Nutrient Management	Use or manage set-backs , hedgerows/field borders, filter strips and/or riparian buffers according to NRCS standard and specification.	Acre/yr	50	FR	100
CSP	Enhancement - Nutrient Management	Decrease nutrient loss potential by Incorporating manure products into soil	Acre/yr	7.5	FR	100
CSP	Enhancement - Nutrient Management	Maintain manure test atleast once every five years, and soil testing and/or plant tissue testing bi-annual	Acre/yr	2	FR	100
CSP	Enhancement - Nutrient Management	Direct manure management application to soils with low P indexes to reduce environmental risks from excessive P build-up in the soil	Acre/yr	2	FR	100
	CSP	CSP Enhancement - Soil Management CSP Enhancement - Nutrient Management	CSP Enhancement - Soil Management traffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 62 fraffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 62 fraffic that result in a Soil Tillage Intensity Rating (STIR) between 15 and 62 fraffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. CSP Enhancement - Soil Management Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 60. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 31 and 60. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) between 16 and 30. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tillage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided mea	CSP Enhancement - Soil Management traffic that result in a Soil Tilage Intensity Rating (STIR) between 31 and 60. CSP Enhancement - Soil Management traffic that result in a Soil Tilage Intensity Rating (STIR) between 16 and 30. CSP Enhancement - Soil Management traffic that result in a Soil Tilage Intensity Rating (STIR) between 16 and 30. Reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) between 16 and 30. CSP Enhancement - Soil Management technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) between 16 and 30. CSP Enhancement - Soil Management technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) between 16 and 30. CSP Enhancement - Soil Management technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) of 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) or 15 or less. Using GPS or other similar guided measure technology, reduce soil compaction by controlling areas of traffic that result in a Soil Tilage Intensity Rating (STIR) or	CSP Enhancement - Soil Management wraffic that result in a Soil Tillage Intensity Rating (STIR) petween 31 and 60.	CSP Enhancement - Soil Management (SFR) between 15 and 60. CSP Enhancement - Soil Management (STR) between 15 and 60. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Soil Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. CSP Enhancement - Nutrient Management (STR) between 15 and 30. Decrease not products into soil with between 15 and 30. Acrelyt (STR) between 15 and 30. Acrelyt (

	CSP			Day Veer	200	I ED	
ENM	CSP	Enhancement - Nutrient Management	Managing the treatment of poultry liter with alum to reduce phosphorus runoff (Water Quality Only)	Per Year	300	FR	100
ENM	CSP	Enhancement - Nutrient Management	Precision management of nutrients through use of geo-referenced computer record keeping, records will include source, rate, & timing of fertilizer applications, tillage operations, planting dates, yeild information.	Acre/yr	2	FR	100
ЕРМ	CSP	Enhancement - Pest Management	Utilize pesticides which have a WINPST Soil/Pesticide Interaction Loss Potential and Hazard Rating of "Low" or "Very Low"	Acre/yr	10	FR	100
ЕРМ	CSP	Enhancement - Pest Management	Utilize directed spray technology to reduce pesticide use	Acre/yr	7.5	FR	100
ЕРМ	CSP	Enhancement - Pest Management	Minimize herbicide and pesticide use by spot spraying undesirable weeds, using natural parasite control procedures, using grazing management to control weeds and brush by clipping or grazing pastures to control weeds.	Acre/yr	7	FR	100
EPM	CSP	Enhancement - Pest Management	Decrease environmental risks by utilize field scouting, pest forecasting, and economic thresholds	Acre/yr	7	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 1 - 60 - 64%	Acre/yr	2.00	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 2 - 65 - 69%	Acre/yr	4.00	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 3 - 70 -74%	Acre/yr	6.00	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 4 - 75 - 79%	Acre/yr	8.00	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 5 - 80 - 84%	Acre/yr	10.00	FR	100
EWM	CSP	Enhancement - Water Management	Irrigation Enhancement Index Level 6 - 85% plus	Acre/yr	12.00	FR	100
EGM	CSP	Enhancement - Grazing Management	Utilize monitoring tools;rotate feeding,loafing, sacrifice areas;flash graze riparian corridors;allow regrowth to 6 in.on introduced warm season grasses(WSG), 10 in on cool season grasses and 15 in.on native WSG.	Acre/yr	8	FR	100
EGM	CSP	Enhancement - Grazing Management	Time haying and livestock grazing to avoid nesting and fawning periods and allow for the establishment, development, and management of upland vegetation	Acre/yr	4	FR	100
EGM	CSP	Enhancement - Grazing Management	Improve pasture diversity by maintaining a botanical composition of pasture of more than 3 species of grasses and one species of legumes. Reseeding is accomplished through no-till establishment.	Acre/yr	4	FR	100
EGM	CSP	Enhancement - Grazing Management	level of phosphorous between 60 and 200 lbs P2O5 per acre and pH greater than 5.8 based on soil test taken every three years	Acre/yr	5	FR	100

EGM Enhancement - Grazing Management Manage and improve burn prescription on native forage to enhance willdlife and forage health forage in freeling roughs in firegile areas and are within 100 del of grazing tocations. EGM CSP Enhancement - Grazing Management Windlife and for grazing tocations. EGM CSP Enhancement - Habitat Management Maintain establish habital transition zones Acretyr 15 FR 100 EHM CSP Enhancement - Habitat Management Understand understand and residues Acretyr 300 FR 200 EHM CSP Enhancement - Habitat Management Maintain establish habital transition zones Acretyr 300 FR 200 EHM CSP Enhancement - Habitat Management Maintain establish habital transition zones Acretyr 300 FR 200 EHM CSP Enhancement - Habitat Management Maintain establish habital transition zones Acretyr 300 FR 200 EHM CSP Enhancement - Habitat Management Maintain establish habital transition zones Acretyr 300 FR 200 EHM CSP Enhancement - Habitat Management Maintain 3 Doweld treat structures per 40 acres in field Acretyr 300 FR 300 EHM 200 E		CSP	T		Ac burn	18	FR	
EGM CSP Enhancement - Grazing Management Willer and forage health Acre'yr 4 FR Enhancement - Grazing Management Willer watering systems that insure livestock have limited access to produce or stemas, within 1000 feet of grazing bloadions. EGM CSP Enhancement - Grazing Management William William (SSP) Enhancement - Habitat Management Maintain establish habitat transition zones Acre'yr 15 FR 1000 forbs. EHM CSP Enhancement - Habitat Management Leave cropland unharvested and residues Acre'yr 3000 FR 1000 forbs. EHM CSP Enhancement - Habitat Management Maintain establish habitat transition zones Acre'yr 3000 FR 1000 forbs. EHM CSP Enhancement - Habitat Management Management Leave cropland unharvested and residues Acre'yr 3000 FR 1000 forbs and/or establish native grass species. Cropland only and the stable of the st	FCM	CSF	Enhancement Crazing Management	Managa and improve hurn properintian on native	AC DUITI	10	FK	
EGM CSP Enhancement - Grazing Management Wange establish watering systems that insure livestock have limited access to ponds or streams, utilize watering troughs in fragile areas and are within 1000 feel of grazing locations. EGM CSP Enhancement - Habitat Management Management GSP Enhancement - Habitat Management Manage inter-seed legumes, native legumes and or forbs. EHM CSP Enhancement - Habitat Management Leave cropic undisturbed Leave cropic undisturbed Acrelyr 300 FR 100 FR	EGIVI		Ennancement - Grazing Management	• • • • • •				400
EGM CSP Enhancement - Grazing Management Eivestock have limited access to ponds or streams, utilize varieting troughs in fragile areas and are within 1000 feet of grazing locations, and for location 1000 feet of grazing location 1000 feet of grazing locations, and for location 1000 feet of grazing location 1000 f				lorage to enhance wildlife and lorage health				100
EGM CSP Enhancement - Grazing Management visition where the control of the contro		CSP			Acre/yr	4	FR	
EGM CSP Enhancement - Grazing Management (Doughest of grazing locations.) EGM CSP Enhancement - Habitat Management (Doughest of grazing locations.) EHM CSP Enhancement - Habitat Management (Doughest of grazing locations.) EHM CSP Enhancement - Habitat Management (Leave cropland unharvested and residues and/or bottles). EHM CSP Enhancement - Habitat Management (Leave cropland unharvested and residues and/or bottles). EHM CSP Enhancement - Habitat Management (Leave cropland unharvested and residues and/or bottles). EHM CSP Enhancement - Habitat Management (Maintain 3 Downed tree structures per 40 acres in field borders and/or bottles). EHM Enhancement - Habitat Management (Maintain 3 Downed tree structures per 40 acres in field borders and/or bottles). EHM Enhancement - Habitat Management (Management (Management and/or bottles). EHM Enhancement - Habitat Management (Management (Management And) - Prescribed borders and/or bottles). EHM Enhancement - Habitat Management (Management And) - Prescribed borders and/or bottles). EHM Enhancement - Habitat Management (Management Management (Management And) - Prescribed borders of native grass forb mix, 2. Adjacent covey headquarters/res/geledeheining, 3. Fescue or brome eradication AND 4. Prescribed bording or light disking once every 5 years. EHM Enhancement - Habitat Management (Management Management (Management Management Management Management Management (Management Management Management Management Management Management (Management Management Management Management Management Management Management Management (Management Management Management Management Management Management Management Management (Management Management Manage				· · · · · · · · · · · · · · · · · · ·				
### Within 1000 feet of grazing locations. ### CSP	EGM		Enhancement - Grazing Management					
EGM CSP Enhancement - Grazing Management forbs. EHM CSP Enhancement - Habitat Management Maintain establish habitat transition zones Acrelyr 15 FR 100 FR 1				utilize watering troughs in fragile areas and are				
EHM CSP Enhancement - Grazing Management EHM CSP Enhancement - Habitat Management Maintain 3 Downed tree structures per 40 acres in field borders and/or buffers Acrelyr 15 FR 100 CSP Enhancement - Habitat Management Manage inter-seed native legumes and/or forbs and/or establish native grass speciesCropland only 100 CSP Cropland Quall Bundle consisting of 20 foot; 1. Field Borders of native grass speciesCropland only 100 CSP Cropland Quall Bundle consisting of 20 foot; 1. Field Borders of native grass speciesCropland only 100 CSP Cropland Quall Bundle consisting of 20 foot; 1. Limit livestock use, 2. Edgeleathering, 3. Fescue or brome eradication AND 4. Prescribed burning or light disking once every 5 years. CSP Grazing Quail Bundle consisting of 20 foot; 1. Limit livestock use, 2. Edgeleathering of every headquarters within exclusion area once every 5 years. EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acrelyr 13 FR 100 CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acrelyr 5 FR 100 Totalion (30% of acres every other year) for migrant water birds to increase food sources and improve habitat water birds to increase food sources and improve habitat 100 EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per 100 EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per 100 EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per 100 EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per 100 EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or grea				within 1000 feet of grazing locations.				100
EHM CSP Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancem	====	CSP		Manage inter-seed legumes, native legumes and /or	Acre	35		
EHM CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement Enhancement - Habitat Management Enhancement Enhancement - Habitat Management Enhancement	EGM		Enhancement - Grazing Management				FR	100
EHM CSP Enhancement - Habitat Management Undisturbed Acrefyr 0.1 FR 100 CSP Enhancement - Habitat Management Management Undisturbed Undist	FHM	CSP	Enhancement - Habitat Management		Acre/vr	15	FR	100
EHM CSP Enhancement - Habitat Management Undisturbed U				Leave cropland unharvested and residues				
EHM CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management Ehmancement - Habitat Management Enhancement - Habitat Ma	EHM	001	Enhancement - Habitat Management	·	Aciciyi	300	111	100
EHM CSP Enhancement - Habitat Management		CCD	+		A ava // //	0.1	- FD	100
EHM CSP Enhancement - Habitat Management Enhancement Acadeve a Wildlife Acrelyr Enhancement - Habitat Management Enhancement acadeve of 0.6 or greater. S5 per	EHM	CSP	Enhancement - Habitat Management	1	Acre/yr	0.1	FR	
EHM Enhancement - Habitat Management Management Enhancement - Habitat Management Management Enhancement - Habitat Management Management Enhancement - Habitat Managem			5	borders and/or buffers				100
EHM Enhancement - Habitat Management CSP Ehm CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP Ehm CSP Ehm CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP EHM CSP Ehm CSP Ehm CSP Ehm CSP Ehm CSP Ehm CSP Enhancement - Habitat Management Enhancement - Habitat Management Enhancement - Habitat Management CSP EHM CSP Ehm CSP Ehm CSP Enhancement - Habitat Management Enhancement - Habitat Management Enhancement - Habitat Management Totation (50% of acres every of brery year) for migrant water birds to increase food sources and improve habitat Totate on 3 yrs basis for nesting habitat. CSP Ehm CSP Enhancement - Habitat Management Enhancement - Habitat Management Totation (50% of sources and improve habitat Management Totation (50% of sources and improve habitat Totate on 3 yrs basis for nesting habitat. END CSP Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. 85 per		CSP			Acre/yr	15	FR	
EHM Enhancement - Habitat Management En	EHM		Enhancement - Habitat Management	Manage Inter-seed native legumes and/or forbs				
EHM Enhancement - Habitat Management Cropland Quail Bundle consisting of 20 foot; 1. Field Borders of native grass/forb mix, 2. Adjacent covey headquarters/edgefeathering, 3. Fescue or brome eradication AND 4. Prescribed burning or light disking once every 5 years. CSP EHM Enhancement - Habitat Management Enhancement - Habitat Management Enhancement - Habitat Management ENPAREMENT CSP ENHANCEMENT - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. ENPAREMENT - FR Topove wildlife habitat to achieve a Wildlife Enhancement Index Levet of 0.6 or greater. \$5 per				and/or establish native grass speciesCropland only				100
EHM Enhancement - Habitat Management Borders of native grass/forb mix, 2. Adjacent covey headquarters/edgefeathering, 3. Fescue or brome eradication AND 4. Prescribed burning or light disking once every 5 years. CSP Grazing Quail Bundle consisting of 20 foot; 1. Limit livestock use, 2. Edgefeathering of every headquarters within exclusion area, And 3. Fescue/Brome eradication within exclusion area once every 5 years. EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields EHM Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per		CSP			Ln Ft	0.1	FR	_
EHM Enhancement - Habitat Management Borders of native grass/forb mix, 2. Adjacent covey headquarters/edgefeathering, 3. Fescue or brome eradication AND 4. Prescribed burning or light disking once every 5 years. CSP Grazing Quail Bundle consisting of 20 foot; 1. Limit livestock use, 2. Edgefeathering of every headquarters within exclusion area, And 3. Fescue/Brome eradication within exclusion area once every 5 years. EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields EHM Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per				Cropland Quail Bundle consisting of 20 foot: 1 Field				
Enhancement - Habitat Management headquarters/edgefeathering, 3. Fescue or brome eradication AND 4. Prescribed burning or light disking once every 5 years. 100								
EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Habitat Management EHM CSP Enhancement - Habitat Management EHM Enhancement - Ha	EHM		Enhancement - Habitat Management					
CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management CSP Improve wildlife habitat to achieve a Wildlife Acre/yr TSP								
EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per				9 9				
EHM Enhancement - Habitat Management Secue/Brome eradication within exclusion area once every 5 years. 100				disking once every 5 years.				100
EHM Enhancement - Habitat Management headquarters within exclusion area, And 3. Fescue/Brome eradication within exclusion area once every 5 years. EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acre/yr 13 FR 100 Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat EHM Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to farming operation on rotation (50% of acres every other year) for migrant water birds to farming operation on rotation (50% of acres every other year) for migrant water birds to farming operation on rotation (50% of acres every other year) for migrant water birds to farming operation on rotation (50% of acres every other year) for migrant water birds to farming operation on rotation (50% of acres every other year) fo		CSP		Grazing Quail Bundle consisting of 20 foot; 1. Limit	Ln Ft	0.1	FR	
Fescue/Brome eradication within exclusion area once every 5 years. EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acre/yr 13 FR 100 Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat EHM Enhancement - Habitat Management CSP Enhancement - Habitat Management Enhancement - Habitat Management Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Enhancement - Habitat Management Index Levet of 0.6 or greater. \$5 per				livestock use, 2. Edgefeathering of every				
SEHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acre/yr 13 FR 100 CSP EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per	EHM		Enhancement - Habitat Management	headquarters within exclusion area, And 3.				
EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acre/yr 13 FR 1000 CSP Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. FR Totation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve ha			_	Fescue/Brome eradication within exclusion area				
EHM CSP Enhancement - Habitat Management Utilize annual seasonal flooding of grain fields Acre/yr 13 FR 1000 CSP Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 CSP Enhancement - Habitat Management CSP Enhancement - Habitat Management Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. FR Totation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve habitat 1000 Totation (50% of facres every other year) for migrant water birds to increase food sources and improve ha				once every 5 years.				100
EHM Enhancement - Habitat Management Integrate moist-soil units into farming operation on rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat 100 EHM Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. FR CSP Enhancement - Habitat Management Improve wildlife habitat to achieve a Wildlife Enhancement Index Levet of 0.6 or greater. \$5 per	FHM	CSP	Enhancement - Habitat Management		Acre/vr	13	FR	100
EHM Enhancement - Habitat Management rotation (50% of acres every other year) for migrant water birds to increase food sources and improve habitat CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Improve wildlife habitat to achieve a Wildlife Enhancement Index Levet of 0.6 or greater. \$5 per								
EHM Enhancement - Habitat Management water birds to increase food sources and improve habitat 100 CSP Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. FR CSP Enhancement - Habitat Management Index Levet of 0.6 or greater. \$5 per		001		9 ,	Aciciyi	3	111	
EHM CSP Enhancement - Habitat Management Improve wildlife habitat to achieve a Wildlife Enhancement Index Levet of 0.6 or greater. \$5 per	EHM		Enhancement - Habitat Management	,				
EHM Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Improve wildlife habitat to achieve a Wildlife Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per			_	·				400
EHM Enhancement - Habitat Management Leave 1/3 of hay fields uncut from March 15 till July 15 and rotate on 3 yrs basis for nesting habitat. CSP Improve wildlife habitat to achieve a Wildlife Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per				nabitat				100
CSP Enhancement - Habitat Management 15 and rotate on 3 yrs basis for nesting habitat. I mprove wildlife habitat to achieve a Wildlife Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per		CSP		Leave 1/3 of hay fields uncut from March 15 till July	Acre	15		
CSP I mprove wildlife habitat to achieve a Wildlife Acre/yr EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per	EHM		Enhancement - Habitat Management				FR	
EHM Enhancement - Habitat Management Enhancement Index Levet of 0.6 or greater. \$5 per				.5 and rotate on 5 yrs basis for flesting flabitat.				100
		CSP		I mprove wildlife habitat to achieve a Wildlife	Acre/yr			
	EHM		Enhancement - Habitat Management	Enhancement Index Levet of 0.6 or greater. \$5 per	-			
				<u> </u>		5	FR	100
CSP Improve wildlife habitat to achieve a Wildlife Habitat		CSP		Improve wildlife habitat to achieve a Wildlife Habitat			1	
FHM I Finhancement - Habitat Management I I Δcre I 10 I	EHM		Enhancement - Habitat Management	•	Acre	10	FR	100
		CCD	+				111	100
I Enhancement - Habitat Management I ' Acre I 15 I	EHM	Cor	Enhancement - Habitat Management	·	Acre	15		400
Index Level of 0.8 or greater.							FR	100
EHM CSP Enhancement - Habitat Management Improve wildlife habitat to achieve a Wildlife Habitat Acre 20 50 50 50 50 50 50 50 50 50 50 50 50 50	FHM	CSP	Enhancement - Habitat Management	•	Acre	20		
Index Level of 0.9 or greater. FR 100	nm						FR	100
000		CSP	Enhancement Habitet Management	Improve wildlife habitat to achieve a Wildlife Habitat	Aoro	25		
CSP Enhancement Habitat Management Improve wildlife habitat to achieve a Wildlife Habitat According to 1			Ennancement - Habitat Management		Acre	∠5		100
EHM CSP Enhancement - Habitat Management Improve wildlife habitat to achieve a Wildlife Habitat Acre 25 FR 100	EHM		g	Index Level of 1.0.			FR	100

EEM CSP Enhancement - Energy Management Use of perennial legumes in the crop rotation to reduce energy need for production of nitrogen. EEM CSP Enhancement - Energy Management Use of annual legumes in the crop rotation to reduce energy need for production of nitrogen. EEM CSP Enhancement - Energy Management Apply fertilizer at or below agronomic rate Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 60 Acre/yr 0.5 EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125	AC FR FR FR FR FR FR FR FR	100 100 100 100 100 100 100
EEM CSP Enhancement - Energy Management reduce energy need for production of nitrogen. EEM CSP Enhancement - Energy Management Apply fertilizer at or below agronomic rate Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 60 Acre/yr 0.5 EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR FR FR FR FR	100 100 100 100 100 100
EEM CSP Enhancement - Energy Management STIR rating less than 60 Acre/yr 0.5 EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR FR FR FR	100 100 100 100 100
EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR FR FR	100 100 100 100
EEM CSP Enhancement - Energy Management STIR rating less than 30 Acre/yr 0.7 EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR FR	100 100 100
EEM CSP Enhancement - Energy Management STIR rating less than 15 Acre/yr 0.9 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR FR	100
EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 100 GAL 125 EEM CSP Enhancement - Energy Management Renewable energy fuel (soy biodiesel, ethanol); 501 GAL 125 EEM CSP Enhancement - Energy Management 90% use of manures and/or legumes to supply crop Acre/yr 1.1	FR FR	100
FEM CSP Enhancement - Energy Management 1,000 GAL 125 Figure 125	FR	
The Femal Cisp I Ennancement - Energy Management I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
nument necus	ED	100
EEM CSP Enhancement - Energy Management Recycle 100% of on-farm lubricants EA 200	ΓK	100
EEM CSP Enhancement - Energy Management Renewable energy generation (wind, solar, geothermal & methane) 100 kWh 2.5	FR	100
EEM CSP Enhancement - Energy Management 5% energy use reduction BTU's 150	FR	100
EEM CSP Enhancement - Energy Management 10% energy use reduction BTU's 250	FR	100
EEM CSP Enhancement - Energy Management 20% energy use reduction BTU's 500	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 1 - 60 - 64%. Acre 2.00	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 2 - 65 - 69%. Acre 4.00	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 3 - 70 - 74%. Acre 6.00	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 4 - 75 - 79%. Acre 8.00	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 5 - 80 - 84%. Acre 10.00	FR	100
EWM CSP Enhancement - Water Management Irrigation Enhancement Index Level 6 - 85% or greater. Acre 12.00	FR	100
EDR CSP Enhancement - Drainage Management Drainage Water Mgt Level 1 - 20 - 29 Acre 2.00	FR	100
EDR CSP Enhancement - Drainage Management Drainage Water Mgt Level 2 - 30 - 39 Acre 4.00	FR	100
EDR CSP Enhancement - Drainage Management Drainage Water Mgt Level 3 - 40 - 49 Acre 6.00	FR	100
EDR CSP Enhancement - Drainage Management Drainage Water Mgt Level 4 - 50 - 59 Acre 8.00	FR	100
EDR CSP Enhancement - Drainage Management Drainage Water Mgt Level 5 - 60 or more Acre 10.00 SP CSP Stewardship Payment Tier 3 Cropland Acre 7.65	FR FR	100 100
SP CSP Stewardship Payment Tier 3 Cropland Acre 7.65 SP CSP Stewardship Payment Tier 2 Cropland Acre 3.40	FR	100
SP CSP Stewardship Payment Tier 1 Cropland Acre 0.85	FR	100
SP CSP Stewardship Payment Tier 3 Irrigated Cropland Acre 11.25	FR	100
SP CSP Stewardship Payment Tier 2 Irrigated Cropland Acre 5.00	FR	100
SP CSP Stewardship Payment Tier 1 Irrigated Cropland Acre 1.25	FR	100
SP CSP Stewardship Payment Tier 3 Pasture Acre 2.59	FR	100

SP	CSP	Stewardship Payment	Tier 2 Pasture	Acre	1.15	FR	100
SP	CSP	Stewardship Payment	Tier 1 Pasture	Acre	0.29	FR	100
EPP	CSP	Existing Practice Payment	Tier 3 Cropland	Acre	1.91	FR	100
EPP	CSP	Existing Practice Payment	Tier 2 Cropland	Acre	0.85	FR	100
EPP	CSP	Existing Practice Payment	Tier 1 Cropland	Acre	0.21	FR	100
EPP	CSP	Existing Practice Payment	Tier 3 Irrigated Cropland	Acre	2.81	FR	100
EPP	CSP	Existing Practice Payment	Tier 2 Irrigated Cropland	Acre	1.25	FR	100
EPP	CSP	Existing Practice Payment	Tier 1 Irrigated Cropland	Acre	0.31	FR	100
EPP	CSP	Existing Practice Payment	Tier 3 Pasture	Acre	0.65	FR	100
EPP	CSP	Existing Practice Payment	Tier 2 Pasture	Acre	0.29	FR	100
EPP	CSP	Existing Practice Payment	Tier 1 Pasture	Acre	0.07	FR	100
		·					